

CURING TABLE | FLOORING PRODUCTS



	Working Time	Tack Free	Recoat Time	Dry Through	Foot Traffic	Light Traffic	Pot life	Full Cure	Shelf Life
EPOXY COATINGS									
EPOXY PRIMER	45 min	4 h	4 - 24 h	8 h	24 h	n/a	25 min	1 week	1 year
LABPOX 30	60 min	9 h	10 - 24 h	13 h	24 h	48 h	50 min	1 week	1 year
LABPOX FAST CURE	15 min	4 h	4 - 24 h	7 h	24 h	36 h	15 min	1 week	1 year
LABPOX 35	45 min	5 h	5 - 24 h	10 h	24 h	24 h	30 min	1 week	1 year
LABPOX 40 UV	60 min	9 h	9 - 24 h	13 h	24 h	48 h	50 min	1 week	1 year
LABPOX LV	90 - 100 min	14 h	14 - 24 h	24 h	36 h	48 h	80 min	1 week	1 year
LABPOX MVB FAST	30 min	4 h	4 - 24 h	14 h	24 h	n/a	20 min	1 week	1 year
POLYASPARTIC COATINGS									
LABFAST BASIX	25 min	60 min	60 min - 24 h	5 h	24 h	48 h	250 ml 20 min	30 min	2 weeks 6 months
LABFAST LO 85 -	15 min	45 min	45 min - 24 h	2 h	24 h	48 h	10 min	30 min	2 weeks 6 months
LABFAST LO 85 +	25 min	2 h	2 h - 24 h	6 h	24 h	48 h	20 min	30 min	2 weeks 6 months
LABFAST LO 90 -	15 min	45 min	45 min - 24 h	2 h	24 h	48 h	10 min	30 min	2 weeks 6 months
LABFAST VOC EXEMPT 70 -	15 min	35 min	35 min - 24 h	2 h	24 h	48 h	15 min	30 min	2 weeks 6 months
LABFAST VOC EXEMPT 80 -	15 min	45 min	45 min - 24 h	2 h	24 h	48 h	10 min	30 min	2 weeks 6 months
LABFAST VOC EXEMPT 80 +	25 min	2 h	2 - 24 h	6 h	24 h	48 h	20 min	30 min	2 weeks 6 months
LABFAST VOC EXEMPT 90 +	15 min	45 min	45 min - 24 h	2 h	24 h	48 h	10 min	30 min	2 weeks 6 months
LABSHIELD ECO -	15 min	2 h	2 - 24 h	6 h	24 h	48 h	10 min	2 weeks	6 months
LABSHIELD ECO +	25 min	4 h	4- 24 h	8 h	24 h	48 h	12 min	2 weeks	6 months
REPAIR PRODUCTS									
CRACK FILLER EPOXY	30 min	2 h	60 min	2 h 30	2 h 30	n/a	n/a	24 h	1 year
INSTANT PU REPAIR	4 min	15 min	n/a	20 min	20 min	n/a	n/a	24 h	6 months
WATER-BASED POLYURETHANE									
AQUALAB PUR-MATTE	20 min	1 h	4 - 24 h	4 h	24 h	48 h	3 h	2 weeks	6 months
AQUALAB PUR-SATIN	20 min	3 - 4 h	4 - 24 h	10 - 12 h	24 h	48 h	3 h	2 weeks	6 months
AQUALAB PUR-GLOSS	20 min	3 - 4 h	4 - 24 h	10 - 12 h	24 h	48 h	3 h	2 weeks	6 months